# **CLINICAL REFRACTOMETERS**

Refractive index of a solution varies according to the its concentration. Hence, its concentration is obtained from its refractive index. The refractive index of blood serum or plasma depends mainly upon its protein concentration, as proteins are one of the major constituents.

This instrument has been designed to use the refractive index method for measuring total protein in serum. The protein scale has been prepared after extensive clinical analyses undertaken by Dr. Matsumura, Professor of Biochemistry at the Tokyo Woman's Medical University. The scale developed by Dr. Matsumura is based on the results obtained from over 1400 cases and has been incorporated into ATAGO refractometers. This is the most reliable scale currently available. As the same as serum protein, there is a correlation between refractive index by a refractometer and urine specific gravity by a hydrometer. Urine specific gravity can be taken from refractive index.



**Measurement Method** 



Apply 1 drop of sample solution onto the prism surface.



Press the START/OFF Switch.



3 seconds

#### The measurement value will scroll from right to left. \*Example of display Display of the measurement value "1.0356" 35 10 5

**ATAGO®** 

Willing and

#### **Digital Hand-held Compact Refractometer**

Masurement value displayed in



Cat.No.4410



The PAL-10S is a digital hand-held compact refractometer that measures Urine Specific Gravity. To operate, simply place a drop of urine on the prism surface and press the START key. The Urine Specific Gravity value will be displayed on the LCD.

Measurement range	: Urine S.G. 1.000 to 1.060	
Minimum indication	: 0.001	
Measurement accuracy	: ±0.001	
Measurement temperature	: 10 to 35°C (Automatic Temperature Compensation)	
Sample volume	: 0.3ml	u
Power supply	: 2×AAA Batteries	
International Protection Class	: IP65 Water Resistant	
Dimensions and weight	: 5.5×3.1×10.9cm, 100g (main unit only)	









# **CLINICAL REFRACTOMETERS - MASTER-**

#### **CLINICAL REFRACTOMETER** MASTER-SUR/Nα Cat.No.2771

MASTER-SUR/Na


#### CLINICAL REFRACTOMETER MASTER-SUR/NM Cat.No.2773

lanua

The MASTER-SUR/N $\alpha$  and MASTER-SUR/NM are designed for clinical applications: Serum Protein, Urine Specific Gravity and Refractive Index scales. Three scales in one instrument allow for quick and easy measurements.

MASTER-SUR/NM

	MASTER-SUR/Na	MASTER-SUR/NM	
Scale range	Urine S.G.: 1.000 to 1.060, Serum protein: 0.0 to 12.0g/100ml, Refractive Index(nD)1.3330 to 1.3660		
Minimum scale	Urine S.G.: 0.001, Serum protein: 0.2g/100ml, Refractive Index: 0.0005		
Accuracy	Urine S.G.: ±0.001, Serum protein: ±0.2g/100ml, Refractive Index: (nD)±0.0005 (10 to 30°C Automatic Temperature Compensation)	Non Automatic Temperature Compensation	
International Protection Class	IP65 Water Resistant (except for eyepiece)	Non Water Resistant	
Size & Weight	3.2×3.4×20.7cm, 110g		





### URINE SPECIFIC GRAVITY REFRACTOMETER MASTER-URC/Nα Cat.No.2791

### URINE SPECIFIC GRAVITY REFRACTOMETER MASTER-URC/NM Cat.No.2793

The MASTER-URC/N $\alpha$  and MASTER-URC/NM are designed for clinical applications: specific gravity and refractive index of urine can be measured with only a single drop. These units are very simple to use and easy carry.

So.c	
1.050-	
1.040	
1.030-1.345	A-418
I.020	
1.010	
1.000	
U.G. nD	
CATAGO"	

	MASTER-URC/Na	MASTER-URC/NM	
Scale range	Urine S.G.: 1.000 to 1.050, Refractive Index (nD): 1.333 to 1.356		
Minimum scale	Urine S.G.: 0.001, Refractive Index (nD): 0.001		
Accuracy	Urine S.G.: ±0.001, Refractive Index: (nD)±0.0005 (10 to 30°C Automatic Temperature Compensation)	Non Automatic Temperature Compensation	
International Protection Class	IP65 Water Resistant (except for eyepiece)	Non Water Resistant	
Size & Weight	3.2×3.4×20.7cm, 110g		

## ATAGO CO.,LTD.

http://www.atago.net/ overseas@atago.net

- ATAGO U.S.A., Inc. ATAGO INDIA Instruments Pvt. Ltd. ATAGO BRASIL Ltda. CATAGO ITALIA s.r.I. CATAGO CHINA Guangzhou Co., Ltd. CATAGO NIGERIA Scientific Co., Ltd.
- TEL: 66-21948727-9 TEL: 55 16 3913-8400 TEL: 39 02 36557267 TEL: 86-20-38108256 TEL: 7-812-777-96-96 TEL: 234-707-558-1552 \* Specifications and appearance are subject to change without notice.

TEL: 1-425-637-2107

Headquarters: The Front Tower Shiba Koen, 23rd Floor 2-6-3 Shiba-koen, Minato-ku, Tokyo 105-0011, Japan TEL: 81-3-3431-1943 FAX: 81-3-3431-1945

customerservice@atago-usa.com TEL: 91-22-28544915, 40713232 customerservice@atago-india.com customerservice@atago-thailand.com customerservice@atago-brasil.com customerservice@atago-italia.com info@atago-china.com info@atago-russia.com atagonigeria@atago.net



All ATAGO refractometers are designed and manufactured in Japan.

